

# ON EXTREMA OF STABLE PROCESSES

ALEXEY KUZNETSOV

Real analysis offers a multitude of examples of functions with “strange” analytic properties, such as a continuous function on  $[0, 2\pi]$ , for which the corresponding Fourier series diverges almost everywhere. All of these examples are somewhat artificial, in the sense that they have to be specifically constructed in order to satisfy given property, and in many cases the proof of existence of such functions is non-constructive at all. Overall, it would seem unlikely that such functions could arise in “real-life” applications. This partly explains why the supremum of a stable process is such a fascinating object: On the one hand it arises naturally from many useful applications of stable processes in Mathematics, Physics, Chemistry and other Sciences, and on the other hand its distribution has the most unusual analytic properties.

We will review the origin and development of the problem of finding the distribution of extrema of stable processes [2, 3, 4, 7], concentrating on connections with Number Theory. Then we will discuss some recent results [1, 5, 6, 8, 9, 10] on the Wiener-Hopf factorization of stable processes and on the series representation of the density of the supremum. We will also present several open problems and discuss possible directions for future research, and we will emphasize connections with other fields of Mathematics.

## REFERENCES

- [1] V. Bernyk, R. C. Dalang, and G. Peskir. The law of the supremum of a stable Lévy process with no negative jumps. *Ann. Probab.*, 36(5):1777–1789, 2008.
- [2] N. H. Bingham. Maxima of sums of random variables and suprema of stable processes. *Probability Theory and Related Fields*, 26:273–296, 1973.
- [3] D. A. Darling. The maximum of sums of stable random variables. *Transactions of the American Mathematical Society*, 83(1):pp. 164–169, 1956.
- [4] R. A. Doney. On Wiener-Hopf factorisation and the distribution of extrema for certain stable processes. *Ann. Probab.*, 15(4):1352–1362, 1987.
- [5] S. Fourati. Inversion de l’espace et du temps des processus de Lévy stables. *Probab. Theory Relat. Fields*, 135:201–215, 2006.
- [6] P. Graczyk and T. Jakubowski. On Wiener-Hopf factors for stable processes. *Ann. Inst. H. Poincaré Probab. Statist.*, 47(1):9–19, 2011.
- [7] C. C. Heyde. On the maximum of sums of random variables and the supremum functional for stable processes. *Journal of Applied Probability*, 6(2):pp. 419–429, 1969.
- [8] F. Hubalek and A. Kuznetsov. A convergent series representation for the density of the supremum of a stable process. *Elect. Comm. in Probab.*, 16:84–95, 2011.
- [9] A. Kuznetsov. On extrema of stable processes. *Ann. Probab.*, 39(3):1027–1060, 2011.
- [10] A. Kuznetsov. On the density of the supremum of a stable process. *Stoch. Proc. Appl.*, 123(3): 986–1003, 2013.